: 206/OH-58 SADDLE, INBOARD, LEFT SIDE

Monday, 6/5/2006 11:01:14 AM

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 27411

Estimate Number

: 10833

P.O. Number

: NIA

This Issue Prsht Rev.

Previous Run

: 6/5/2006

: MIN : 27206

Type

S.O. No. : NIA

: MACHINED PARTS

Part Number

Drawing Name

: D29331

Drawing Number Project Number

: D2933 REV B : N/A

Drawing Revision

Material Due Date

: 6/30/2006

Qty:

Written By

First Issue

Checked & Approved By

Comment

: Est:

New DWG rev (mpp 2069) EC

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

D6101001

7075-T7351 2X6X6.25

1.0000 Each(s)/Unit 4.0000 Each(s) Comment: Qtv.: Total:

Issue material from stock: 7075-T7351 QQ-A-250/12

Cut Size 2.0 x 6.25 X 6.00 Grain Along Long 6.00 Length Batch No: 325344

80.80.00 AZ

2.0

HAAS1

HAAS CNC VERTICAL MACHINING #1



Comment: HAAS CNC VERTICAL MACHINING #1

Program part number and batch number.

1-Inspect part number and batch number are programmed correctly

2-Machine Step No 1 of Folio and visually inspect as per dwg D2933 & attached Dimension Sheet

3-Machine Step No 2 of Folio and visually inspect as per dwg D2933 & attached Dimension Sheet <

4-Machine Step No 3 of Folio and visually inspect as per dwg D2933 & attached Dimension Sheet

5-Deburr MILLING CONV.

CONVENTIONAL MILLING MACHINE





Comment: CONVENTIONAL MILLING MACHINE

Machine Keyway and inspect per attached dimension sheet

06/08/15

4.0

3.0

INSPECT ALL DIM TO DIM SHEET

Comment: INSPECT ALL DIM TO DIM SHEET

Page 1

Form: rprocess

Dart Âerospace Ltd

| W/O: | | WORK ORDER CHANGES | | <i>مسر</i> () | | | |
|------|------|--------------------|----|---------------|-----|---------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Mfg / Design Mgr | Approval QC Inspector |
| 1 | | | | | | | |
| | \$ | | | | | | |
| • | | | | | | | |
| | | | | | | | , |

| NCR: | | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|----------|------|-------------------|----------------------------------|--------------------------------|----------------|--------------------------|----------|-------------------------|--|--|--|
| | | Description of NC | | Corrective Action Section B | | Verification | Approval | T | | | |
| DATE | STEP | Section A | Initial Design Mgr | Action Description Design Mgr | Sign & Date | Ign & Section C Design N | | Approval C QC Inspector | | | |
| | * | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | · | | | | | | | |
| 1 | | | | | | | | | | | |
| | | | | • | | | | | | | |
| ١ | | | | | | | | : | | | |
| | | | | | | | • | | | | |
| <u>i</u> | - | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | • | | | | | | | |
| | | | | | | | | | | | |
| | | | | • | | | | | | | |

| Part No: | PAR #: | Fault Category: No | CR: | Yes No DQA: | Date: 06/08/ 27 |
|----------------------------------|--------|--------------------|-----|-----------------|-----------------|
| NOTE: Date & initial all entries | | | | QA: N/C Closed: | Date: |

Monday, 6/5/2006 11:01:15 AM Date: Kim Johnston User: **Process Sheet** Drawing Name: 206/OH-58 SADDLE, INBOARD, LEFT SIDE Customer: CU-DAR001 Dart Helicopters Services Part Number: D29331 Job Number: 27411 Job Number: Seq. #: Machine Or Operation: **Description:** SECOND CHECK QC8 5.0 Comment: SECOND CHECK HAND FINISHING RESOURCE #1 HAND FINISHING 6.0 Comment: HAND FINISHING RESOURCE #1 06 0816 Acid etch and Alodine as per QSI 005 4.1 POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVER 8.0 QC3 Comment: INSPECT POWDER COAT PACKAGING RESOURCE #1 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 5 DOCUMENT CONTROL 10.0 Comment: DOCUMENT CONTROL MO6.08.24 23 Inspection Level 21 Job Completion

Dart Aerospace Ltd

| W/O: | | , | WOF | RK ORDER CHANGES | | | | |
|--|-----------------------------|--------------------|--------------------------------|-----------------------------|------------------------|------------------------|---------------------------------|-------------------------|
| DATE | STEP | PR | OCEDURE CHANG | 3E | Ву | Date Qty | Approval Mfg / Design Mgr | Approva QC Inspector |
| | | | | | | | | |
| | | | | | | | | |
| | • | | | | | | | |
| | | · | | • | | | | |
| <u> </u> | | | | ſ | | | <u></u> | |
| NCR: | | | WORK ORDE | R NON-CONFORMANC | E (NCR) | <u> </u> | • | |
| <u> </u> | | D 1 (1 (1) | | Corrective Action Section B | | 1 | | T . |
| DATE | Description of NC Section A | Initial Design Mgr | Action Description Design Mgr | Sign & Date | Verification Section C | Approval Design Mgr | Approval QC Inspecto | |
| 1 | | | | | | | | |
| | | | | | | | | |
| - | | | · | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| į | | | | | | | | |
| ; | | | | | | | | |
| | | | | .* | | | - | |
| | | | | | | | | |
| Part No |); | PAR #: | Fault Category: | NCR: Ye | s No I | DQA: | _ Date: | · |
| NOTE D | ate & initi: | al all entries | | | | sed: | | |

H:\forms\Quality Assurance\approved forms\NCRWO revC

| DART AEROSPACE LTD | Work Order: | 27411 |
|---|--------------|-------------|
| Description: 206 Saddle, Inboard, Left side | Part Number: | D2933-1 |
| Inspection Dwg: D2933 Rev. B | | Page 1 of 1 |

Inspect dimensions highlighted on inspection sheet drawing D2933 Rev. B and record below:

| | | | | Red | corded Actu | ıal Dimensi | ons | | |
|-----|-------|----------|-------------------|-------|----------------|---------------|-----------|-----|----------|
| Dim | Min | Max | Go/No Go Gauge | 1 | 2 | 3 | 4 | Ву | Date |
| A | 0.100 | 0.140 | | 123 | 110 | .110 | - 110 | | |
| В | 0.100 | 0.140 | | 126 | 112 | , 112 | -112 | | |
| С | 0.100 | 0.140 | | .119 | - <i>1</i> 21 | .120 | . 120 | | |
| D | 0.210 | 0.230 | | 1221 | - 223 | \mathcal{I} | .221 | | |
| E | 1.245 | 1.255 | | 1-230 | 1.250 | 1.250 | 1.250 | | |
| F | 1.245 | 1.255 | | 1-250 | 1.250 1.250 | 1.250 | 1-250 | | |
| G | 2.495 | 2.505 | | 2.500 | 2.500 | 2.500 | 2.500 | | |
| Н | 0.510 | 0.515 | | .514 | . 514 | .514 | . 514 | | |
| 1 | 1.572 | 1.582 | | 1.577 | 1597 | 1.577 | 1.577 | | |
| J | 2.495 | 2.505 | | 2.501 | 2,500 | 2.500 | 2.500 | | |
| K | 0.257 | 0.262 | DT8683 | | | | | | |
| L | 0.312 | 0.317 | DT8686 | | | | | | |
| М | 0.235 | 0.240 | | . 238 | -238 | . 238 | .238 | | |
| N | 0.100 | 0.140 | | 121 | -112 | .120 | 120 | | |
| 0 | 0.540 | 0.560 | | .547 | 549 | 550 | . 550. | | |
| Р | 0.490 | 0.510 | | - 200 | -500 | .501 | -501 | ``. | |
| Q | 3.715 | 3.725 | | 3,720 | 3.720 | 3.720 | 3.720 | Z'' | |
| R | 2.470 | 2.510 | | 2,497 | 2-492 | 2.492 | 2.492 *** | | |
| S | 0.240 | 0.270 | | -252 | -257 | -251 | -251 | | |
| Т | 0.100 | 0.180 | | 125 | -125 | .125 | .125 | | |
| U | 1.625 | 1.635 | | 1630 | 1.630 | 1.630 | 1.630 | | |
| V | 1.362 | 1.372 | | 1367 | 1.367 | 1.367 | 1.367 | | |
| W. | 0.316 | 0.321 | DT8690 | | | | | | |
| X | 1.125 | 1.145 | · | 1.132 | 1.131 | 1.130 | 1.132 | | <u> </u> |
| Υ | 1.565 | 1.585 | DT8695 A/B | | | | | | |
| ·Z | | | | 3 | | | | | : |
| AA | | | | | | | | | |
| AB | | | | | | | | | |
| AC | | | | | | | | | • |
| AD | | | | | | | | | ٠ |
| ΑE | | | | | | | | | . , |
| AF | | _ | | | | | | | |
| AG | | | | | | | | ٠. | |
| AH | | | | | | | | | |
| - | Acc | ept/Reje | ct | | | ٣ | | | |

| , Measured by: | 20 | 151, | Audited by | Int |
|----------------|---------|------------|------------|----------|
| Date: | 06.08.1 | 4/06/08/15 | Date: | 06/08/15 |

| Rev | Date | Change | Revised by | Approved |
|-----|----------|--|------------|----------|
| Α | | New Issue | RF | |
| В | 02.12.12 | Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690 & DT8695 A/B | KJ/RF | # |

25


| DART AEROSPACE LTD | Work Order: | 2741 |
|---|---------------------------------------|-------------|
| Description: 206 Saddle, Inboard, Left side | Part Number: | D2933-1 |
| Inspection Dwg: D2933 Rev. B | · · · · · · · · · · · · · · · · · · · | Page 1 of 1 |

Inspect dimensions highlighted on inspection sheet drawing D2933 Rev. B and record below:

| <u> </u> | | · | | Recorded Actual Dimensions | | | ons | | |
|----------|-------|----------|-------------------|----------------------------|--------|---|----------|----------|------|
| Dim | Min | Max | Go/No Go Gauge | 1 | 2 | 3 | 4 | Ву | Date |
| Α | 0.100 | 0.140 | | .110 | .169 | | | | |
| В | 0.100 | 0.140 | | :112 | . 111 | | | | |
| С | 0.100 | 0.140 | | - Jal | .121 | | | | |
| D | 0.210 | 0.230 | | .219 | 1.217 | | | | |
| E | 1.245 | 1.255 | | 1.250 | 1.256 | | | | |
| F | 1.245 | 1.255 | | 1-249 2-499 | 1-250 | | | | |
| G | 2.495 | 2.505 | | | 12.500 | | | | |
| Н | 0.510 | 0.515 | | .514 | 1.514 | | | | |
| Ī | 1.572 | 1.582 | | 1.577 | 1.511 | | | | |
| J | 2.495 | 2.505 | | 2.500 | 2.500 | | | | |
| K | 0.257 | 0.262 | DT8683 | | // | | | | |
| L | 0.312 | 0.317 | DT8686 | | | | | <u> </u> | |
| M | 0.235 | 0.240 | | -238 | -338 | | | | |
| N | 0.100 | 0.140 | | . 116 | .117 | | | | |
| 0 | 0.540 | 0.560 | - | .551 | .550 | | | | |
| Р | 0.490 | 0.510 | | ·501 | 500 | | | | |
| Q | 3.715 | 3.725 | | 3.720 | 3.720 | | | · . | |
| R | 2.470 | 2.510 | | 2.492 | 2,492 | | | | |
| S | 0.240 | 0.270 | | . 251 | . 251 | | | | |
| Т | 0.100 | 0.180 | | .125 | ./25 | | | <u> </u> | |
| U | 1.625 | 1.635 | | 7.630 | 1.630 | | | | |
| V | 1.362 | 1.372 | | 1.367 | 1.367 | | | | |
| W | 0.316 | 0.321 | DT8690 | | | | | | |
| Х | 1.125 | 1.145 | | 1.130 | 1.128 | | | | |
| Υ | 1.565 | 1.585 | DT8695 A/B | | | | | | |
| Z | | | | | | | <u> </u> | | |
| AA | | | | | | , | | | |
| AB | | | | | | | | | |
| AC | | | | | | | | | |
| AD | | | | | | | | <u> </u> | |
| AE | | | | | | | | | |
| AF | | | | | | | | | |
| AG | | | | | | | | | |
| AH | | | | | | | | | |
| | Acc | ept/Reje | ct | | | | | <u>l</u> | |

| Measured by: 3.L. | Audited by | m |
|-------------------|------------|----------|
| Date: 06/08/15 | Date: | 06/08/15 |

| Rev | Date | Change | Revised by | Approved |
|-----|----------|--|------------|----------|
| Α | | New Issue | RF | |
| В | 02.12.12 | Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690 & DT8695 A/B | KJ/RF | |



×.5.

